


(JIS S50C, S55C 相当)



特長

- 炭素鋼（機械構造用炭素鋼鋼材）のなかで、高い強さを有した高炭素鋼です。
- 厚さによる特性値の差を抑えるため、厚さ 25mm 以下は JIS S50C 相当、厚さ 28mm 以上は JIS S55C 相当を適用しています。
- 厳選した鋼材から製作した標準プレートです。


硬さ

170 ~ 240HB

テクニカルデータ

145 ページをご覧ください。

精度規格



●Tの寸法許容差

L	許容差
300 以下	+0.1 ~ +0.2
300 を超え 600 以下	+0.15 ~ +0.25
600 を超え 1000 以下	+0.2 ~ +0.3

●厚さ (T) の均一度……100mm につき 0.008

●Tの両面の平面度 (100mm につき)

T	L	
	300 以下	300 を超え 1000 以下
5 以上 10 以下	0.020	0.040
10 を超え 20 以下	0.015	0.020
20 を超え 40 以下	0.010	0.015
40 を超え 250 以下	0.008	0.010

●基準面の直角度……100mm につき 0.008

アプリケーション (オプション)

Tの寸法許容差を下表のように変更できます。

T寸法許容差変更記号	Tの寸法許容差	適用サイズ	価格	納期
AP	±0.05	規格表に掲載しているサイズ	規格品と同額	翌日または翌々日* AP、AP1指示なし→4ページ参照
AP1	0~+0.1			

*アプリケーション品の納期は製品サイズによって3日目の発送となる場合があります。

F-S50C, F-S55C

F-S50C, F-S55C

■規格表

幅 W	長さ L	厚さ T								
		5	8	10	13	15	16	20	22	25
30	300			●		●		●		●
				●		●		●		●
				●		●		●		●
60	60	●	●	●	●	●	●	●	●	
	80	●	●	●	●	●	●	●	●	
	100			●	●	●	●	●	●	
	130			●	●	●	●	●	●	
	500	●	●	●	●	●	●	●	●	
	600			●	●	●	●	●	●	
	63	63		●	●	●	●	●	●	
	80		●	●	●	●	●	●		
70	150			●	●	●	●	●	●	
	180			●	●	●	●	●	●	
	200			●	●	●	●	●	●	
	230			●	●	●	●	●	●	
	250			●	●	●	●	●	●	
	350			●	●	●	●	●	●	
80	80	●	●	●	●	●	●	●	●	
	100	●	●	●	●	●	●	●	●	
	125	●	●	●	●	●	●	●	●	
	130			●	●	●	●	●	●	
	150		●	●	●	●	●	●	●	
	160		●	●	●	●	●	●	●	
	180		●	●	●	●	●	●	●	
	190								●	
	200		●	●	●	●	●	●	●	
	210		●	●	●	●	●	●	●	
	230		●	●	●	●	●	●	●	
	250		●	●	●	●	●	●	●	
	280								●	
	300		●	●	●	●	●	●	●	
	320								●	
	350					●	●	●	●	
90	380								●	
	400				●	●	●	●	●	
	500	●	●	●	●	●	●	●	●	
	600			●	●	●	●	●	●	
	150			●	●	●	●	●	●	
	180			●	●	●	●	●	●	
	200			●	●	●	●	●	●	
230			●	●	●	●	●	●		
250			●	●	●	●	●	●		
300			●	●	●	●	●	●		
350			●	●	●	●	●	●		

厚さ T									幅 W	長さ L
28	30	35	40	45	50	60	70			
									30	300
	●								40	
	●								50	
●	●	●	●		●	●			60	60
●	●	●	●		●	●				80
										100
	●									130
	●	●	●		●					500
	●	●	●		●	●				600
●	●	●	●		●	●			63	63
●	●	●	●		●	●				80
									70	150
										180
										200
										230
										250
										350
●	●	●	●		●	●	●		80	80
●	●	●	●		●	●	●			100
●	●	●	●		●	●	●			125
										130
●	●	●	●		●	●	●			150
●	●	●	●		●	●	●			160
●	●	●	●		●	●	●			180
	●	●								190
●	●	●	●		●	●	●			200
●	●	●	●		●	●	●			210
●	●	●	●		●	●	●			230
●	●	●	●		●	●	●			250
	●	●								280
●	●	●	●		●	●	●			300
	●	●	●							320
										350
	●	●	●						380	
●	●	●	●		●	●	●		400	
●	●	●	●		●	●	●		500	
			●		●	●	●		600	
									90	150
										180
										200
										230
										250
									300	
									350	

F-S50C, F-S55C

F-S50C, F-S55C

注文方法 PP-SC 60×80×5 N<T寸法許容差変更記号> 5

鋼種 W L T 変更の場合のみ指示。詳細は22ページ参照 枚数

■規格表

幅 W	長さ L	厚さ T								
		5	8	10	13	15	16	20	22	25
100	100	●	●	●	●	●	●	●	●	●
	125	●	●	●	●	●	●	●	●	●
	150	●	●	●	●	●	●	●	●	●
	160	●	●	●	●	●	●	●	●	●
	180	●	●	●	●	●	●	●	●	●
	190									●
	200	●	●	●	●	●	●	●	●	●
	210	●	●	●	●	●	●	●	●	●
	230				●	●	●	●	●	●
	250		●	●	●	●	●	●	●	●
	270			●	●	●	●	●	●	●
	280							●	●	●
	300	●	●	●	●	●	●	●	●	●
	320									●
	350		●	●	●	●	●	●	●	●
	380									●
	400		●	●	●	●	●	●	●	●
	420									●
500	●	●	●	●	●	●	●	●	●	
600			●	●	●	●	●	●	●	
110	130			●	●	●	●	●	●	
	180				●	●	●	●	●	
	200			●	●	●	●	●	●	
	230				●	●	●	●	●	
	250				●	●	●	●	●	
	270				●	●	●	●	●	
	300			●	●	●	●	●	●	
	350				●	●	●	●	●	
400					●	●	●	●		
120	180				●	●	●	●	●	
	200				●	●	●	●	●	
	230				●	●	●	●	●	
	240				●	●	●	●	●	
	250				●	●	●	●	●	
	270				●	●	●	●	●	
	300				●	●	●	●	●	
	350					●	●	●	●	
400					●	●	●	●		
450						●	●	●		
125	125	●	●	●	●	●	●	●	●	
	140								●	
	150	●	●	●	●	●	●	●	●	
	160		●	●	●	●	●	●	●	
	180		●	●	●	●	●	●	●	
	190								●	

厚さ T									幅 W	長さ L
28	30	35	40	45	50	60	70			
●	●	●	●		●	●	●		100	100
●	●	●	●		●	●	●			125
●	●	●	●		●	●	●			150
●	●	●	●		●	●	●			160
●	●	●	●		●	●	●			180
	●	●	●							190
●	●	●	●		●	●	●			200
●	●	●	●		●	●	●			210
										230
●	●	●	●		●	●	●			250
										270
	●	●	●							280
●	●	●	●		●	●	●			300
	●	●	●							320
●	●	●	●		●	●	●			350
	●	●	●							380
●	●	●	●		●	●	●			400
	●	●	●							420
●	●	●	●		●	●	●		500	
					●	●	●		600	
	●	●	●		●	●			130	
									180	
									200	
									230	
									250	
									270	
									300	
									350	
									400	
									180	
									200	
									230	
									240	
									250	
									270	
									300	
									350	
									400	
									450	
●	●	●	●		●	●	●		125	
	●	●	●						140	
●	●	●	●		●	●	●		150	
●	●	●	●		●	●	●		160	
●	●	●	●		●	●	●		180	
	●	●	●						190	

注文方法

PP-SC

100×150×10

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

F-S50C, F-S55C

■規格表

幅 W	長さ L	厚さ T									
		5	8	10	13	15	16	20	22	25	28
125	200		●	●	●	●	●	●	●	●	●
	210		●	●	●	●	●	●	●	●	●
	230							●		●	
	250		●	●	●	●	●	●	●	●	●
	280									●	
	300		●	●	●	●	●	●	●	●	●
	320									●	●
	350		●	●	●	●	●	●	●	●	●
	380									●	
	400		●	●	●	●	●	●	●	●	●
	420									●	
	450		●	●	●	●	●	●	●	●	●
	500	●	●	●	●	●	●	●	●	●	●
	550										
	600			●	●			●		●	
130	130			●	●	●	●	●	●	●	
	150			●		●		●		●	
	175					●		●		●	
	200				●	●		●		●	
	230				●	●		●		●	
	250				●	●		●		●	
	270				●	●		●		●	
	300				●	●		●		●	
	350					●		●		●	
	400					●		●		●	
450					●		●		●		
500					●		●		●		
140	140					●				●	
	160									●	
	200				●	●		●		●	
	230				●	●		●		●	
	250					●		●		●	
	270					●		●		●	
	300				●	●		●		●	
	350					●		●		●	
	400					●		●		●	
	450					●		●		●	
150	150		●	●	●	●	●	●	●	●	●
	175					●		●		●	
	180		●	●	●	●	●	●	●	●	●
	195					●		●		●	
	200		●	●	●	●	●	●	●	●	●
	210		●	●	●	●	●	●	●	●	●
	230					●		●		●	
250		●	●	●	●	●	●	●	●	●	

厚さ T										幅 W	長さ L
30	35	40	45	50	60	70	80	90	100		
●	●	●		●	●	●				125	200
●	●	●		●	●	●					210
●	●	●									230
●	●	●		●	●	●					250
●	●	●									280
●	●	●		●	●	●					300
●	●	●									320
●	●	●		●	●	●					350
●	●	●									380
●	●	●		●	●	●					400
●	●	●									420
●	●	●		●	●	●					450
●	●	●	●	●	●	●					500
●	●	●	●	●	●	●					550
●	●	●		●	●	●					600
●	●	●		●	●					130	130
●	●	●		●	●						150
											175
●											200
											230
											250
											270
											300
											350
											400
										450	
										500	
●	●									140	140
●	●										160
●	●										200
											230
											250
											270
											300
											350
											400
											450
										500	
●	●	●	●	●	●	●	●			150	150
●	●	●	●	●	●	●	●				175
●	●	●	●	●	●	●	●				180
●	●	●	●	●	●	●	●	●			195
●	●	●	●	●	●	●	●	●	●		200
●	●	●	●	●	●	●	●	●			210
●	●	●	●	●	●	●	●				230
●	●	●	●	●	●	●	●				250

注文方法

PP-SC

125×200×10

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T									
		5	8	10	13	15	16	20	22	25	28
150	270					●		●		●	
	300		●	●	●	●	●	●	●	●	●
	350		●	●	●	●	●	●	●	●	●
	400		●	●	●	●	●	●	●	●	●
	450		●	●	●	●	●	●	●	●	●
	500		●	●	●	●	●	●	●	●	●
	600			●	●	●	●	●	●	●	●
160	160		●	●	●	●	●	●	●	●	●
	190									●	
	200		●	●	●	●	●	●	●	●	●
	210					●				●	
	220									●	
	230			●						●	
	250		●	●	●	●	●	●	●	●	●
	280									●	
	300		●	●	●	●	●	●	●	●	●
	320			●						●	
	350		●	●	●	●	●	●	●	●	●
	380									●	
	400		●	●	●	●	●	●	●	●	●
	450		●	●	●	●	●	●	●	●	●
500		●	●	●	●	●	●	●	●	●	
550									●		
600			●	●	●	●	●	●	●	●	
170	250					●		●		●	
	300					●		●		●	
	350					●		●		●	
	400					●		●		●	
	450					●		●		●	
180	180		●	●	●	●	●	●	●	●	●
	200		●	●	●	●	●	●	●	●	●
	210		●	●	●	●	●	●	●	●	●
	220					●				●	
	230					●				●	
	250		●	●	●	●	●	●	●	●	●
	270					●				●	
	280					●				●	
	300		●	●	●	●	●	●	●	●	●
	320					●				●	
	350		●	●	●	●	●	●	●	●	●
	400		●	●	●	●	●	●	●	●	●
	450		●	●	●	●	●	●	●	●	●
	500		●	●	●	●	●	●	●	●	●
550						●			●		
600			●	●	●	●	●	●	●	●	

厚さ T										幅 W	長さ L
30	35	40	45	50	60	70	80	90	100		
										150	270
●	●	●	●	●	●	●	●				300
●	●	●		●	●	●					350
●	●	●		●	●	●					400
●	●	●		●	●	●					450
●	●	●		●	●	●					500
●	●	●		●	●	●					600
●	●	●		●	●	●				160	160
●	●	●		●	●	●					190
●	●	●		●	●	●					200
●	●	●									210
●	●	●									220
●	●	●									230
●	●	●		●	●	●					250
●	●	●									280
●	●	●									300
●	●	●									320
●	●	●		●	●	●					350
●	●	●									380
●	●	●		●	●	●					400
●	●	●		●	●	●					450
●	●	●		●	●	●				500	
●	●	●		●	●	●				600	
										170	250
											300
											350
											400
											450
●	●	●	●	●	●	●	●			180	180
●	●	●	●	●	●	●	●				200
●	●	●	●	●	●	●	●				210
●	●	●	●	●	●	●	●				220
●	●	●	●	●	●	●	●				230
●	●	●	●	●	●	●	●				250
●	●	●	●	●	●	●	●				270
●	●	●	●	●	●	●	●				280
●	●	●	●	●	●	●	●				300
●	●	●	●	●	●	●	●				320
●	●	●	●	●	●	●	●				350
●	●	●	●	●	●	●	●				400
●	●	●	●	●	●	●	●				450
●	●	●	●	●	●	●	●				500
●	●	●	●	●	●	●	●			550	
●	●	●	●	●	●	●	●			600	

注文方法

PP-SC

150×300×15

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

F-S50C, F-S55C

■規格表

幅 W	長さ L	厚さ T									
		8	10	13	15	16	20	22	25	28	30
190	200				●		●		●		●
	250				●		●		●		●
	300				●		●		●		●
	350				●		●		●		●
	400				●		●		●		●
	450				●		●		●		●
200	200	●	●	●	●	●	●	●	●	●	●
	210		●		●		●		●		●
	220				●		●		●		●
	230		●		●		●		●		●
	240				●		●		●		●
	250	●	●	●	●	●	●	●	●	●	●
	270				●		●		●		●
	280				●		●		●		●
	300	●	●	●	●	●	●	●	●	●	●
	320				●		●		●		●
	350	●	●	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●	●	●
	420				●		●		●		●
	450	●	●	●	●	●	●	●	●	●	●
	480				●		●		●		●
	500	●	●	●	●	●	●	●	●	●	●
550				●		●		●		●	
600		●	●	●		●		●		●	
650				●		●		●		●	
700				●		●		●		●	
210	210	●	●	●	●	●	●	●	●	●	●
	230				●		●		●		●
	250	●	●	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●	●	●
	450	●	●	●	●	●	●	●	●	●	●
	500	●	●	●	●	●	●	●	●	●	●
220	220						●		●		●
	230						●		●		●
	250						●		●		●
	270								●		●
	280						●		●		●
	300						●		●		●
	350						●		●		●
	400						●		●		●
450						●		●		●	
500						●		●		●	

厚さ T										幅 W	長さ L	
35	40	45	50	60	70	80	90	100				
●											190	200
●												250
												300
												350
												400
												450
●	●	●	●	●	●	●	●	●	●	●	200	200
●												210
●	●											220
●	●	●	●	●	●	●	●	●	●	●		230
●	●		●	●	●	●	●	●	●	●		240
●	●	●	●	●	●	●	●	●	●	●		250
●	●	●	●	●	●	●	●	●	●	●		270
●	●		●									280
●	●		●									300
●	●	●	●	●	●	●	●	●	●	●		320
●	●	●	●	●	●	●	●	●	●	●		350
●	●	●	●	●	●	●	●	●	●	●		400
●	●	●	●	●	●	●	●	●	●	●		420
●	●	●	●	●	●	●	●	●	●	●		450
●	●	●	●	●	●	●	●	●	●	●		480
●	●	●	●	●	●	●	●	●	●	●		500
●	●	●	●	●	●	●	●	●	●	●	550	
●	●	●	●	●	●	●	●	●	●	●	600	
●	●	●	●	●	●	●	●	●	●	●	650	
●	●	●	●	●	●	●	●	●	●	●	700	
●	●										210	210
●												230
●	●											250
●	●											300
●	●											350
●	●											400
●	●											450
●	●											500
●	●										600	
●	●										220	220
●	●											230
●	●											250
●	●											270
●	●											280
●	●											300
●	●											350
●	●											400
●	●										450	
											500	

注文方法

PP-SC

200×250×20

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T										
		8	10	13	15	16	20	22	25	28	30	35
220	550						●			●		
	600						●			●		
230	230				●		●			●	●	●
	250				●		●			●	●	●
	270				●		●			●	●	●
	280				●		●			●	●	●
	300				●		●			●	●	●
	350				●		●			●	●	●
	380				●		●			●	●	●
	400				●		●			●	●	●
	420									●	●	●
	450						●			●	●	●
	480									●	●	●
	240	250				●		●			●	●
280					●		●			●	●	●
300					●		●			●	●	●
250		●	●	●	●	●	●	●	●	●	●	●
270					●		●			●	●	●
280			●		●		●			●	●	●
250	300	●	●	●	●	●	●	●	●	●	●	●
	320				●	●	●			●	●	●
	350	●	●	●	●	●	●	●	●	●	●	●
	380				●		●			●	●	●
	400	●	●	●	●	●	●	●	●	●	●	●
	420									●	●	●
	450	●	●	●	●	●	●	●	●	●	●	●
	480									●	●	●
	500	●	●	●	●	●	●	●	●	●	●	●
	600		●	●	●		●			●	●	●
	650											●
	260	400						●			●	●
450							●			●	●	●
500							●			●	●	●
550										●	●	●
600										●	●	●
700										●	●	●
270	280				●		●			●	●	●
	300				●		●			●	●	●
	350				●		●			●	●	●

厚さ T											幅 W	長さ L	
40	45	50	60	70	80	90	100	110	120				
												220	550
													600
●	●	●	●	●	●	●	●	●	●	●	●	230	230
●	●	●	●	●	●	●	●	●	●	●	●		250
●	●	●	●	●	●	●	●	●	●	●	●		270
●	●	●	●	●	●	●	●	●	●	●	●		280
●	●	●	●	●	●	●	●	●	●	●	●		300
●	●	●	●	●	●	●	●	●	●	●	●		350
●	●	●	●	●	●	●	●	●	●	●	●		380
●	●	●	●	●	●	●	●	●	●	●	●		400
●	●	●	●	●	●	●	●	●	●	●	●		420
●	●	●	●	●	●	●	●	●	●	●	●		450
●	●	●	●	●	●	●	●	●	●	●	●		480
●	●	●	●	●	●	●	●	●	●	●	●		500
●	●	●	●	●	●	●	●	●	●	●	●	550	
●	●	●	●	●	●	●	●	●	●	●	●	600	
●	●	●	●	●	●	●	●	●	●	●	●	250	250
●	●	●	●	●	●	●	●	●	●	●	●	270	
●	●	●	●	●	●	●	●	●	●	●	●	280	
●	●	●	●	●	●	●	●	●	●	●	●	300	
●	●	●	●	●	●	●	●	●	●	●	●	320	
●	●	●	●	●	●	●	●	●	●	●	●	350	
●	●	●	●	●	●	●	●	●	●	●	●	380	
●	●	●	●	●	●	●	●	●	●	●	●	400	
●	●	●	●	●	●	●	●	●	●	●	●	420	
●	●	●	●	●	●	●	●	●	●	●	●	450	
●	●	●	●	●	●	●	●	●	●	●	●	480	
●	●	●	●	●	●	●	●	●	●	●	●	500	
●	●	●	●	●	●	●	●	●	●	●	●	600	
●	●	●	●	●	●	●	●	●	●	●	●	650	
●	●	●	●	●	●	●	●	●	●	●	●	700	
●	●	●	●	●	●	●	●	●	●	●	●	750	
												260	400
													450
													500
													550
													600
													700
●	●	●	●	●	●	●	●	●	●	●	●	270	280
●	●	●	●	●	●	●	●	●	●	●	●		300
●	●	●	●	●	●	●	●	●	●	●	●		350

注文方法

PP-SC

230×250×25

N<T寸法許容差変更記号>

5

鋼種

W L T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T										
		8	10	13	15	16	20	22	25	28	30	35
270	400				●		●		●		●	●
	500				●		●		●		●	●
280	280				●		●		●		●	●
	300				●		●		●		●	●
	350						●		●		●	●
	400						●		●		●	●
	420										●	●
	450						●		●		●	
	480										●	●
290	300						●		●		●	●
	350						●		●		●	●
	400						●		●		●	●
	450						●		●		●	●
	500								●		●	●
	550								●		●	●
300	300	●	●	●	●	●	●	●	●	●	●	●
	320				●		●		●		●	●
	350	●	●	●	●	●	●	●	●	●	●	●
	380				●		●		●		●	●
	400	●	●	●	●	●	●	●	●	●	●	●
	420										●	●
	450	●	●	●	●	●	●	●	●	●	●	●
	480											●
	500	●	●	●	●	●	●	●	●	●	●	●
	550						●		●		●	●
	600		●	●	●		●		●		●	●
320	350				●		●		●		●	●
	400						●		●		●	●
	420										●	●
	450											●
	480											●
	500								●		●	●
	600								●		●	●
330	350				●		●		●		●	●
	400						●		●		●	●
	450						●		●		●	●
	500						●		●		●	●

厚さ T											幅 W	長さ L			
40	45	50	60	70	80	90	100	110	120	130					
●		●	●	●	●	●	●	●	●	●	●	●	270	400	
●		●	●	●	●	●	●	●	●	●	●	●		500	
●		●											280	280	
●	●	●												300	
●	●	●												350	
●	●	●												400	
●	●	●												420	
●	●	●												450	
●	●	●												480	
●	●	●											290	500	
●	●	●												550	
●	●	●												600	
●		●	●	●	●	●	●	●	●	●	●	●		300	
●		●	●	●	●	●	●	●	●	●	●	●		350	
●		●	●	●	●	●	●	●	●	●	●	●		400	
													300	450	
														500	
														550	
														600	
●	●	●	●	●	●	●	●	●	●	●	●	●		300	300
●	●	●	●	●	●	●	●	●	●	●	●	●		320	320
●	●	●	●	●	●	●	●	●	●	●	●	●		350	350
●	●	●	●	●	●	●	●	●	●	●	●	●		380	380
●	●	●	●	●	●	●	●	●	●	●	●	●		400	400
●	●	●	●	●	●	●	●	●	●	●	●	●		420	420
●	●	●	●	●	●	●	●	●	●	●	●	●		450	450
●	●	●	●	●	●	●	●	●	●	●	●	●	320	480	
●	●	●	●	●	●	●	●	●	●	●	●	●		500	
●	●	●	●	●	●	●	●	●	●	●	●	●		550	
●	●	●	●	●	●	●	●	●	●	●	●	●		600	
●	●	●	●	●	●	●	●	●	●	●	●	●		650	
●	●	●	●	●	●	●	●	●	●	●	●	●		700	
●	●	●	●	●	●	●	●	●	●	●	●	●		750	
●	●	●	●	●	●	●	●	●	●	●	●	●	330	350	
●	●	●	●	●	●	●	●	●	●	●	●	●		400	
●	●	●	●	●	●	●	●	●	●	●	●	●		420	
●	●	●	●	●	●	●	●	●	●	●	●	●		450	
●	●	●	●	●	●	●	●	●	●	●	●	●		500	
●	●	●	●	●	●	●	●	●	●	●	●	●		600	
●	●	●	●	●	●	●	●	●	●	●	●	●		700	

注文方法

PP-SC

270×400×30

N<T寸法許容差変更記号>

5

鋼種

W L T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T							
		15	20	25	28	30	35	40	45
340	550			●		●			
	600			●		●			
	650			●		●			
	700			●		●			
	750			●		●			
	800			●		●			
350	350	●	●	●	●	●	●	●	●
	380				●	●	●	●	●
	400	●	●	●	●	●	●	●	●
	450	●	●	●	●	●	●	●	●
	480						●	●	●
	500	●	●	●	●	●	●	●	●
	550		●	●	●	●	●	●	●
	600		●	●	●	●	●	●	●
	650			●	●	●			●
	700			●	●	●			
	750			●	●	●			
800			●	●	●				
380	400			●		●	●	●	
	450					●	●	●	
	500					●	●	●	
	550								
	600					●	●	●	
	700					●	●	●	
390	600			●		●			
	650			●		●			
	700			●		●			
	750			●		●			
	800			●		●			
400	400	●	●	●		●	●	●	
	420					●	●	●	
	450	●	●	●		●	●	●	
	480							●	
	500	●	●	●		●	●	●	
	550	●	●	●		●	●	●	
	600	●	●	●		●	●	●	
	650			●		●	●		
	700		●	●		●	●		
	750			●		●			
800			●		●				
420	450							●	
	500								
	550								
	650								

(注)厚さ T130 以上は次ページ。

厚さ T								幅 W	長さ L
50	60	70	80	90	100	110	120		
								340	550
									600
									650
									700
									750
									800
●	●	●	●	●	●	●	●	350	350
●									380
●	●	●	●	●	●	●	●		400
●	●	●	●	●	●	●	●		450
●	●	●	●	●	●	●	●		480
●	●	●	●	●	●	●	●		500
●	●	●	●	●	●	●	●		550
●	●	●	●	●	●	●	●		600
●	●	●	●	●	●	●	●		650
●	●								700
●	●								750
								800	
●				●	●	●	●	380	400
●	●			●	●	●	●		450
●	●			●	●	●	●		500
●	●			●	●	●	●		550
●	●			●	●	●	●		600
●	●			●	●	●	●		700
								390	600
									650
									700
									750
									800
●	●	●	●	●	●	●	●	400	400
●	●	●	●	●	●	●	●		420
●	●	●	●	●	●	●	●		450
	●								480
●	●	●	●	●	●	●	●		500
●	●	●	●	●	●	●	●		550
●	●	●	●	●	●	●	●		600
●	●	●	●	●	●	●	●		650
●	●	●	●	●	●	●	●		700
●	●	●	●	●	●	●	●		750
					●	●	●	420	800
	●				●	●	●		450
					●	●	●		500
●	●				●	●	●		550
								650	

注文方法

PP-SC
鋼種

350×400×50
W L T

N<T寸法許容差変更記号>
変更の場合のみ指示。詳細は22ページ参照

5
枚数

■規格表

幅 W	長さ L	厚さ T							
		130	140	150	160	170	180	200	
340	550								
	600								
	650								
	700								
	750								
	800								
350	350	●							
	380								
	400	●							
	450	●							
	480								
	500	●							
	550	●							
	600	●							
	650								
	700								
750									
800									
380	400	●	●						
	450	●	●						
	500	●	●						
	550	●	●						
	600								
700									
390	600								
	650								
	700								
	750								
	800								
400	400	●	●	●	●	●	●	●	
	420								
	450	●	●	●	●	●	●	●	
	480								
	500	●	●	●	●	●	●	●	
	550	●	●	●	●	●	●	●	
	600	●	●	●	●	●	●	●	
	650			●					
	700	●	●	●	●		●	●	
	750								
800			●						
420	450	●	●	●					
	500	●	●	●					
	550	●	●	●					
	650								

(注) 厚さ T120 以下は 66 ページ。

								幅 W	長さ L
								340	550
									600
									650
									700
									750
									800
								350	350
									380
									400
									450
									480
									500
									550
									600
									650
									700
								750	
								800	
								380	400
									450
									500
									550
									600
								700	
								390	600
									650
									700
									750
									800
								400	400
									420
									450
									480
									500
									550
									600
									650
									700
									750
								800	
								420	450
									500
									550
									650

注文方法

PP-SC

400×500×130

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は 22 ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T							
		15	20	25	30	35	40	45	50
440	650			●	●				
	700			●	●				
	750			●	●				
	800			●	●				
450	450	●	●	●	●	●	●	●	●
	480							●	
	500	●	●	●	●	●	●	●	●
	550		●	●	●	●	●	●	●
	600		●	●	●	●	●	●	●
	650			●	●	●	●	●	●
	700			●	●	●	●	●	●
	750			●	●		●		
	800			●	●		●		
480	500							●	
	550							●	
	600							●	
	700							●	
490	700			●	●				
	750			●	●		●		
	800			●	●		●		
500	500	●	●	●	●	●	●	●	●
	550		●	●	●	●	●	●	●
	600		●	●	●	●	●	●	●
	650			●	●	●	●	●	●
	700		●	●	●	●	●	●	●
	750			●	●	●	●	●	●
	800				●	●	●	●	●
	900				●				
550	550			●	●	●	●	●	●
	600		●	●	●	●	●	●	●
	650				●	●	●	●	●
	700			●	●	●	●	●	●
	750				●	●	●	●	●
	800				●	●	●	●	●
	850				●	●	●	●	●
	900				●	●	●	●	●
	950				●	●	●	●	●
1000				●		●		●	

(注)厚さ T140 以上は次ページ。

厚さ T								幅 W	長さ L
60	70	80	90	100	110	120	130		
								440	650
									700
									750
									800
●	●	●	●	●	●	●	●	450	450
●									480
●	●	●	●	●	●	●	●		500
●	●	●	●	●	●	●	●		550
●	●	●	●	●	●	●	●		600
●	●	●	●	●	●	●	●		650
●	●	●	●	●	●	●	●		700
●									750
●									800
●								480	500
●									550
●									600
●									700
●								490	700
									750
									800
									800
●	●	●	●	●	●	●	●	500	500
●	●	●	●	●	●	●	●		550
●	●	●	●	●	●	●	●		600
●	●	●	●	●	●	●	●		650
●	●	●	●	●	●	●	●		700
									750
							●		800
					●				900
●	●	●	●	●	●	●	●	550	550
●	●	●	●	●	●	●	●		600
●	●	●	●	●	●	●	●		650
●	●	●	●	●	●	●	●		700
●	●	●	●	●	●	●	●		750
●	●	●	●	●	●	●	●		800
●	●	●	●	●	●	●	●		850
●	●	●	●	●	●	●	●		900
●	●	●	●	●	●	●	●		950
●	●	●	●	●	●	●	●	1000	

F-S50C, F-S55C

注文方法

PP-SC
鋼種

450×500×50
W L T

N<T寸法許容差変更記号>
変更の場合のみ指示。詳細は22ページ参照

5
枚数

■規格表

幅 W	長さ L	厚さ T							
		140	150	160	170	180	200	220	230
440	650								
	700								
	750								
	800								
450	450	●	●	●		●	●		
	480								
	500	●	●	●	●	●	●		
	550	●	●	●	●	●			
	600	●	●	●		●	●		
	650	●	●	●					
	700	●	●			●			
	750								
	800								
480	500								
	550								
	600								
	700								
490	700								
	750								
	800								
500	500	●	●	●	●	●	●		
	550	●	●	●		●	●		
	600	●	●	●	●	●	●		
	650	●	●	●		●			
	700	●	●	●	●	●	●		
	750								
	800								
	900								
550	550		●	●		●	●	●	
	600		●	●		●	●	●	
	650		●	●		●	●	●	
	700		●	●		●	●	●	
	750		●	●		●	●	●	
	800		●	●		●	●	●	
	850		●	●		●	●	●	
	900		●	●		●	●	●	
	950		●	●		●	●	●	
	1000		●	●		●	●	●	

(注)厚さ T130 以下は 70 ページ。

厚さ T								幅 W	長さ L
250									
								440	650
									700
									750
									800
								450	450
									480
									500
									550
									600
									650
									700
									750
									800
								480	500
									550
									600
									700
								490	700
									750
									800
								500	500
●									550
●									600
									650
●									700
									750
									800
									900
								550	550
●									600
●									650
●									700
●									750
●									800
●									850
●									900
●									950
●									1000

F-S50C, F-S55C

注文方法

PP-SC
鋼種

450×500×150
W L T

N<T寸法許容差変更記号>
変更の場合のみ指示。詳細は 22 ページ参照

5
枚数

■規格表

幅 W	長さ L	厚さ T							
		15	20	25	30	35	40	45	50
600	600	●	●	●	●	●	●		●
	650			●	●	●	●		●
	700				●	●	●		●
	750				●	●	●		●
	800	●	●	●	●	●	●		●
	850		●		●	●	●		●
	900					●	●		●
	950				●	●			●
	1000								●
650	650				●	●	●		●
	700		●		●	●	●		
	750				●	●	●		
	800					●	●		●
	850					●			
	900					●	●		
	950					●	●		
	1000					●			
700	700					●	●		●
	750					●	●		●
	800					●	●		●
	850					●	●		
	890						●		
	900				●	●	●		●
	1000					●	●		●
750	750				●	●	●		
	800				●	●	●		
	850					●	●		●
	890						●		
	900					●	●		
	1000					●			
800	800						●		●
	850						●		
	890						●		
	900						●		
	1000				●		●		

(注)厚さ T140 以上は次ページ。

厚さ T								幅 W	長さ L
60	70	80	90	100	110	120	130		
●	●	●	●	●	●	●	●	600	600
●	●	●	●	●	●	●	●		650
●	●	●	●	●	●	●	●		700
●	●	●	●	●	●	●	●		750
●	●	●	●	●	●	●	●		800
		●		●	●	●	●		850
●		●		●	●	●	●		900
		●		●	●	●	●		950
●		●		●	●	●	●		1000
●			●	●	●	●	●		650
●			●	●	●	●	●	700	
●			●	●	●	●	●	750	
●			●	●	●	●	●	800	
●			●	●	●	●	●	850	
●			●	●	●	●	●	900	
●			●	●	●	●	●	950	
●			●	●	●	●	●	1000	
●	●	●	●	●	●	●	●	700	700
●	●	●	●	●	●	●	●		750
●	●	●	●	●	●	●	●		800
●	●	●	●	●	●	●	●		850
●	●	●	●	●	●	●	●		890
●	●	●	●	●	●	●	●		900
●	●	●	●	●	●	●	●		950
●	●	●	●	●	●	●	●	1000	
●	●	●	●	●	●	●	●	750	750
	●			●	●	●	●		800
	●			●	●	●	●		850
	●			●	●	●	●		890
	●			●	●	●	●		900
	●			●	●	●	●		950
	●			●	●	●	●	1000	
	●			●	●	●	●	800	800
	●			●	●	●	●		850
	●			●	●	●	●		890
	●			●	●	●	●		900
	●			●	●	●	●		950
	●			●	●	●	●	1000	

F-S50C, F-S55C

F-S50C, F-S55C

注文方法

PP-SC
鋼種

600×700×50
W L T

N<T寸法許容差変更記号>
変更の場合のみ指示。詳細は22ページ参照

5
枚数

■規格表

幅 W	長さ L	厚さ T							
		140	150	160	170	180	200	220	230
600	600		●	●		●	●	●	
	650		●	●		●	●	●	
	700		●	●		●	●	●	
	750		●	●		●	●	●	
	800		●	●		●	●	●	
	850		●	●		●	●	●	
	900		●	●		●	●	●	
	950		●	●		●	●	●	
650	1000		●	●		●	●	●	
	650		●	●		●	●	●	
	700		●	●		●	●	●	
	750		●	●		●	●	●	
	800		●	●		●	●	●	
	850		●	●		●	●	●	
	900		●	●		●	●	●	
	950		●	●		●	●	●	
700	1000		●	●		●	●	●	
	700		●	●		●	●	●	●
	750		●	●		●	●	●	●
	800		●	●		●	●	●	●
	850		●	●		●	●	●	●
	890								
	900		●	●		●	●	●	●
	950		●	●		●	●	●	●
750	1000		●	●		●	●	●	●
	750		●	●		●	●	●	●
	800		●	●		●	●	●	●
	850		●	●		●	●	●	●
	890								
	900		●	●		●	●	●	●
	950		●	●		●	●	●	●
	1000		●	●		●	●	●	●
800	800		●	●		●	●	●	●
	850		●	●		●	●	●	●
	890								
	900		●	●		●	●	●	●
	950		●	●		●	●	●	●
	1000		●	●		●	●	●	●

(注)厚さ T130 以下は 74 ページ。

厚さ T										幅 W	長さ L
250											
●										600	600
●											650
●											700
●											750
●											800
●											850
●											900
●											950
●										1000	650
●										650	
●										700	
●										750	
●										800	
●										850	
●										900	
●										950	
●										1000	700
●										700	
●										750	
●										800	
●										850	
●										890	
●										900	
●										950	
●										1000	750
●										750	
●										800	
●										850	
●										890	
●										900	
●										950	
●										1000	
●										800	
●										850	
●										890	
●										900	
●										950	
●										1000	

F-S50C, F-S55C

注文方法

PP-SC
鋼種

600×700×150
W L T

N<T寸法許容差変更記号>
変更の場合のみ指示。詳細は 22 ページ参照

5
枚数